

TEAM
BOARD

Ultimate Interactive Panel



PRODUCT CODE

Teamboard-92-Ultimate | TeamBoard-105-Ultimate

TECHNICAL SPECIFICATIONS

	TeamBoard Ultimate 92"	TeamBoard Ultimate 105"
Resolution	Up to 5120 x 2160 px @ 60Hz	Up to 5120 x 2160 px @ 60Hz
Display Features	DLED	DLED
Screen Dimension	92"	105"
Set Dimension	86.7" (W) x 37.9" (H) x 3.9" (D) 2203 (W) x 964 (H) x 100 (D) mm	99.2" (W) x 45.2" (H) x 4.1" (D) 2522 (W) x 1149.9 (H) x 106.4 (D) mm
Temperature	0°C ~ 40°	0°C ~ 40°
Aspect Ratio	21:9	21:9
Brightness	450 cd/m ²	350 cd/m ³
Contrast	5000:1	5000:1
Colours	8bit+FRC, 1.07B	8bit+FRC, 1.07B
View Angle	178°	178°
VGA/HDMI Input Support Resolution	640*480 / 800*600 / 1024*768 / 1280*768 / 1280*800 / 1280*960 / 1280*1024 / 1360*768 / 1440*900 / 1600*1200 / 1920*1080 @ 60Hz / 3840*2160 @ 30Hz / 3840*2160 @ 60Hz / 5120*2160 @ 60Hz	640*480 / 800*600 / 1024*768 / 1280*768 / 1280*800 / 1280*960 / 1280*1024 / 1360*768 / 1440*900 / 1600*1200 / 1920*1080 @ 60Hz / 3840*2160 @ 30Hz / 3840*2160 @ 60Hz / 5120*2160 @ 60Hz
Input Voltage	Rating 100- 240V~, 50/60Hz	Rating 100- 240V~, 50/60Hz
Audio	2 x 15W	2 x 15W
VESA Pattern	1000 x 500mm	1600 (800 + 800) x 363mm

CONNECTIVITY

HDMI 2.0 IN	1 x Rear Max 3840 x 2160 @ 60Hz	1 x Rear Max 3840 x 2160 @ 60Hz
OPS Slot	1 x Rear Max 5120 x 2160 @ 60Hz	1 x Rear supports 5K at 21:9
DP 1.4	1 x Rear (IN) 1 x Rear (OUT) Max 5120 x 2160 @ 60Hz	1 x Rear (IN) 1 x Rear (OUT) Max 5120 x 2160 @ 60Hz
USB-A 2.0	4 x Rear	4 x Rear
USB-B (Touch USB 2.0)	1 x Rear	1 x Rear
RS232	1 x Rear Via RJ45 Port	1 x Rear Via RJ45 Port

	TeamBoard Ultimate 92"	TeamBoard Ultimate 105"
USB-C	1 x Rear Charge support max PD2.0 65W @20V/3.25A, Display support up to 5120x2160@60Hz, Touch support USB 2.0, USB Display not supported	1 x Rear Charge support max PD2.0 65W @20V/3.25A, Display support up to 5120x2160@60Hz, Touch support USB 2.0, USB Display not supported
LAN IN	1 x Rear	1 x Rear
Optical	1 x Rear	1 x Rear
Audio Out	1 x Rear	1 x Rear

TOUCH SPECIFICATIONS		
Touch Technology	Infrared Touch	Infrared Touch
Touch Points	Upto 20 Touch Points	Upto 20 Touch Points
Writing Mode	Finger or Stylus	Finger or Stylus
Positioning Technology	IR Technology	IR Technology
Positioning Accuracy	< 2mm	< 2mm
Positioning Resolution	4096*4096/16384*16384/32768*32768	4096*4096/16384*16384/32768*32768
Response Size	≥ 3mm	≥ 3mm
Response Time	< 10ms	< 10ms
Connection Port	USB Plug and Play	USB Plug and Play
Operating System	Windows / Linux / Mac / Android	Windows / Linux / Mac / Android

COVER GLASS		
Thickness	4mm	4mm
Hardness	8H	8H

PHYSICAL SPECIFICATIONS		
Package Dimensions	94.2" (W) x 43.3" (H) x 7.2" (D) 2395 (W) x 1100 (H) x 185 (D) mm	104.3" (W) x 52.3" (H) x 10" (D) 2650 (W) x 1330 (H) x 255 (D) mm
Gross Weight in Box	85 ± 1.5Kgs / 187.3 ± 3.3lb	125 ± 1.5Kgs / 275.5 ± 3.3lb
Screen Dimensions	86.7" (W) x 37.9" (H) x 3.9" (D) 2203 (W) x 964 (H) x 100 (D) mm	99.2" (W) x 45.2" (H) x 4.1" (D) 2522 (W) x 1149.9 (H) x 106.4 (D) mm
Net Weight	±65Kgs / ±143.3lb	93 ± 1Kgs / 205 ± 2.2lb
Warranty	Refer to your local distributor	Refer to your local distributor

	TeamBoard Ultimate 92"	TeamBoard Ultimate 105"
STANDARD ACCESSORIES		
Remote	1	1
Power Cable (1.8m)	1	1
Touch Pen	2	2
DP Cable (2m)	1	1
USB (Touch USB 1.5m)	1	1

Remark:
Above mentioned specifications are for Standard models and are subject to change without notice.