

HDi Flex LS Touchscreen



PRODUCT CODE

HDi-65 flex LS | HDi-75 flex LS

TECHNICAL SPECIFICATIONS

	HDi Flex LS 65"	HDi Flex LS 75"
Resolution	Up to 3840 x 2160 @ 60Hz	Up to 3840 x 2160 @ 60Hz
Display Features	LED Backlight	Direct LED
Screen Dimension	65" (1428.5 x 803.5mm)	75" (1649.7 x 927.9mm)
Set Dimension	1476.8 (W) x 917.8 (H) x 82.4 (D) mm	1700 (W) x 1047.8 (H) x 82.6 (D) mm
Temperature	0°C ~ 40°	0°C ~ 40°
Net Weight (Approx)	34Kgs	49Kgs
Aspect Ratio	16:9	16:9
Brightness	500 cd/m ²	500 cd/m ²
Contrast	1200:1 or higher	1200:1 or higher
Colours	10bit + FRC, 1.07 Billion colours	8bit + FRC, 1.07 Billion colours
View Angle	178°	178°
Screen Mode	16:9/4:3/Dot to Dot/Full Screen	16:9/4:3/Dot to Dot/Full Screen
Support Resolution	4K Ultra HD 3840 x 2160 @60Hz	4K Ultra HD 3840 x 2160 @60Hz
Voltage Range	AC 100-240V~50/60Hz	AC 100-240V~50/60Hz
Power Range	Standby Power <1W Working 230W	Standby Power <1W Working 350W
Audio	2x20W speaker (Front) + 20W subwoofer	2x20W speaker (Front) + 20W subwoofer
VESA Mount	500 x 400mm, M8 Screw	600 x 400mm, M8 Screw
Panel Response Time	8ms	8ms

CONNECTIVITY

HDMI 2.0 IN	2 x Rear 1 x Front	2 x Rear 1 x Front
HDMI Out	1 x Rear	1 x Rear
USB 2.0	1 x Rear	1 x Rear
USB 3.0	2 x Rear 3 x Front	2 x Rear 3 x Front
Touch USB	2 x Rear 1 x Front	2 x Rear 1 x Front

	HDi Flex LS 65"	HDi Flex LS 75"
Type-C	1 x Rear 1 x Front Support USB/touch/image/video 4K@60Hz/fast & slow charging	1 x Rear 1 x Front Support USB/touch/image/video 4K@60Hz/fast & slow charging
SPDIF Out	1 x Rear	1 x Rear
RS232	1 x Rear	1 x Rear
RJ45	1 x Rear (IN) 1 x Rear (Out) Support both Android and built in OPS	1 x Rear (IN) 1 x Rear (Out) Support both Android and built in OPS
MIC	1 x Rear	1 x Rear
DP	1 x Rear	1 x Rear
VGA/Audio	1 x Rear	1 x Rear
Earphone Out	1 x Rear	1 x Rear
OPS Slot	1 x Rear	1 x Rear

TOUCH PARAMETERS

Touch Technology	Infrared Touch	Infrared Touch
Touch Points	Upto 20 Touch Points	Upto 20 Touch Points
Writing Mode	Finger or Stylus	Finger or Stylus
Positioning Technology	IR Technology	IR Technology
Touch Accuracy	< 1mm	< 1mm
Cursor Speed	180 dot/s	180 dot/s
Response Time	5ms	5ms
Connection Port	USB Plug and Play	USB Plug and Play
Operating System	Windows / Linux / Mac / Android	Windows / Linux / Mac / Android

COVER GLASS

Thickness	3mm	3mm
Hardness	8H	8H

PHYSICAL SPECIFICATIONS

Package Dimensions	1595 (W) x 1010 (H) x 160 (D) mm	1825 (W) x 1165 (H) x 160 (D) mm
Gross Weight in Box	43Kgs	58Kgs
Screen Dimensions	1476.8 (W) x 917.8 (H) x 82.4 (D) mm	1700 (W) x 1047.8 (H) x 82.6 (D) mm
Net Weight	34Kgs	49Kgs
Warranty	5 Years	5 Years

STANDARD INCLUSIONS

Magnetic Pen	2	2
HDMI Cable	1	1
Touch USB	1	1
Power Cable	1	1
Remote	1	1
Mini PC Plate	1	1

Remark:

Above mentioned parameters are for Standard models and are subject to change without notice.