

HDi Flex LS Touchscreen



PRODUCT CODE

HDi-75 flex LS

TECHNICAL SPECIFICATIONS

	HDi Flex LS 75"
Resolution	Up to 3840 x 2160 @ 60Hz
Display Features	Direct LED
Screen Dimension	75" (1649.7 x 927.9mm)
Set Dimension	1700 (W) x 1047.8 (H) x 82.6 (D) mm
Temperature	0°C ~ 40°
Net Weight (Approx)	49Kgs
Aspect Ratio	16:9
Brightness	500 cd/m²
Contrast	1200:1 or higher
Colours	8bit + FRC, 1.07 Billion colours
View Angle	178°
Screen Mode	16:9/4:3/Dot to Dot/Full Screen
Support Resolution	4K Ultra HD 3840 x 2160 @60Hz
Voltage Range	AC 100-240V~50/60Hz
Power Range	Standby Power <1W Working 350W
Audio	2x20W speaker (Front) + 20W subwoofer
VESA Mount	700 x 400mm, M8 Screw
Panel Response Time	8ms

CONNECTIVITY

HDMI 2.0 IN	2 x Rear 1 x Front
HDMI Out	1 x Rear
USB 2.0	1 x Rear
USB 3.0	2 x Rear 3 x Front
Touch USB	2 x Rear 1 x Front

HDi Flex LS 75"	
Type-C	1 x Rear 1 x Front Support USB/touch/image/video 4K@60Hz/fast & slow charging
SPDIF Out	1 x Rear
RS232	1 x Rear
RJ45	1 x Rear (IN) 1 x Rear (Out) Support both Android and built in OPS
MIC	1 x Rear
DP	1 x Rear
VGA/Audio	1 x Rear
Earphone Out	1 x Rear
OPS Slot	1 x Rear

TOUCH PARAMETERS	
Touch Technology	Infrared Touch
Touch Points	Upto 20 Touch Points
Writing Mode	Finger or Stylus
Positioning Technology	IR Technology
Touch Accuracy	< 1mm
Cursor Speed	180 dot/s
Response Time	5ms
Connection Port	USB Plug and Play
Operating System	Windows / Linux / Mac / Android

COVER GLASS	
Thickness	3mm
Hardness	8H

PHYSICAL SPECIFICATIONS	
Package Dimensions	1825 (W) x 1165 (H) x 160 (D) mm
Gross Weight in Box	58Kgs
Screen Dimensions	1700 (W) x 1047.8 (H) x 82.6 (D) mm
Net Weight	49Kgs
Warranty	5 Years

STANDARD INCLUSIONS

Magnetic Pen	2
HDMI Cable	1
Touch USB	1
Power Cable	1
Remote	1
Mini PC Plate	1

Remark:

Above mentioned parameters are for Standard models and are subject to change without notice.